1	CLAIMS
2	
3	What is claimed is:
4	
5	1. A system for enabling targeted content delivery to a mobile device user, said mobile
6	device having a device address, said device address having associated therewith at least
7	one unique identifier, said system comprising:
8	
9	-a message application server; and
10	
11	-a trigger system in communication with said message application server, said trigger
12	system comprising:
13	
14	-a trigger client component configured to generate a trigger signal comprising a trigger
15	action, user content request data and said at least one unique identifier;
16	
17	-a trigger server component in communication with said trigger client component, said
18	trigger server component configured to:
19	-receive said trigger signal,
20	-send to said message application server said trigger signal for processing by said
21	message application server;
22	

- 1 wherein said message application server is configured to:
- 2 -receive from said trigger system said trigger signal, and in response thereto:
- 3 -derive said mobile device address from said at least one unique identifier,
- 4 -generate content based on said user request data, and
- 5 -send said generated content to said device address of said mobile device.

6

- 7 2. A system as in claim 1 wherein said message application server further includes a
- 8 message application database for storing transaction information comprising said user
- 9 request data and said device address.

10

11 3. A system as in claim 1 wherein said trigger client component is said mobile device.

12

- 13 4. A system as in claim 1 wherein said trigger system comprises:
- 14 -a client application residing on said trigger client component for generating said trigger
- 15 signal; and
- 16 -a server application residing on said trigger server component in communication with
- 17 said client application and said message application server, said server application for
- 18 receiving and processing said trigger signal sent by said client application...

- 20 5. A system as in claim 4 wherein said client application is a WEB or WAP browser
- 21 client component and said server application is a WEB or WAP server application
- 22 component.

1 6. A system as in claim 1, wherein said trigger client component further comprises at 2 least one input device. 3 4 7. A system as in claim 6, wherein said at least one input device is selected from the 5 group consisting of a magnetic card reader, bar code reader, keyboard, keypad, touch 6 pad, sensors, and any combination thereof. 7 8 8. A system as in claim 7, wherein said sensors include a wireless sensor and a 9 biometric sensor. 10 11 9. A system as in claim 1 wherein said trigger client component is an account card and a 12 reader and wherein said trigger signal is generated by swiping said account card through 13 said reader and having said trigger system identify said unique identifier based on 14 15 account card information 16 10. A system as in claim 1, wherein said trigger system comprises an IVR system, said 17 mobile device is a cellular phone, said device address is a cellular phone number and 18 said trigger action is a voice call; said IVR system configured to process said trigger 19 signal to acquire said cellular phone number of said cellular phone. 20 21

11. A system as in claim 1, wherein said trigger system comprises a PSTN and a Phone 1 Switch connected to said PSTN, said mobile device is a cellular phone, said mobile 2 device address is a cellular phone number and said trigger action is a voice call; said 3 trigger system configured to detect incoming call establishment requests from said 4 PSTN and to process said trigger signal to acquire said cellular phone number of said 5 6 cellular phone. 7 12. A system as in claim 1 wherein said mobile device is a network-enabled device. 8 9 10 13. A system as in claim 1 wherein said mobile device is a cellular phone having a 11 cellular phone number as said device address. 12 13 14. A system as in claim 1 wherein said device address is a calling number, a cellular 14 phone number, an instant messaging address, an e-mail address or other addressing 15 type. 16 15. A system as in claim 1 further comprising: 17 18 -an offer application component; 19 -an offer entry system in communication with said offer application component, and 20 -an offer database in communication with said offer application component for storing 21 said generated content and said user request data,

22

wherein said offer entry system is configured to:

1	-redeem said generated content,
2	-generate content redemption information comprising said redeemed content, and
3	-send said content redemption information to said offer application component for
4	storage in said offer database.
5	
6	16. A system as in claim 15, wherein said offer application component is further
7	configured to:
8	-receive said content redemption information and
9	-check for and process valid redeemed content using a validation code.
10	
11	17. A system as in claim 16 wherein said offer entry system is further configured to
12	generate a physical representation of said generated content.
13	
14	18. A system as in claim 17 wherein said physical representation of said generated
15	content includes paper, card-stock, plastic or any other tangible medium.
16	
17	19. A system as in claim 18 wherein said offer entry system is a point of sale (POS)
18	terminal for redeeming and providing a physical representation of said generated
19	content.
20	
21	20. A system as in claim 18 wherein said offer entry system is a kiosk for redeeming

and providing a physical representation of said generated content.

WO 2004/010257

1	
2	21. A system as in claim 1 further comprising at least one communications network
3	wherein said trigger system communicates with said message application server via said
4	at least one communications network and wherein said trigger client device system
5	communicates with said trigger server device via said at least one communications
6	network.
7	
8	22. A system as in claim 1 wherein said generated content comprises a message, a
9	coupon, an offer or a promotion.
10	
11	23. A system as in claim 17 wherein said generated content is a tangible medium
12	containing a bar code representation of said validation code.
13	
14	24. A system as in claim 23 wherein said validation code representation comprises a
15	bar code.
16	
17	25. A system as in claim 16 wherein said validation code encodes information
18	pertaining to said user, generated content, unique identifier or mobile device for the
19	purpose of tracking redemption on a per user basis.
20	
21	26. A system as in claim 16 wherein said validation code is a numerical or
22	alphanumerical code.

1	
2	27. A system as in claim 16 wherein said validation code is an image to be scanned.
3	
4	28. A system as in claim 16 wherein said mobile device processes and stores said
5	validation code.
6	
7	29. A system as in claim 16 wherein said validation code contains one or more
8	checksum digits whereby code input errors can be detected.
9	
10	30. A system as in claim 16 further comprising at least one first external system coupled
11	to said message application server; said at least one first external system for facilitating
12	the generation, redemption, analysis, verification and/or delivery of said generated
13	content.
14	
15	31. A system as in claim 30 wherein said at least one first external systems includes
16	enterprise application systems, back-end payment systems, CRM systems and loyalty
17	systems.
18	
19	32. A system as in claim 17 further comprising at least one second external system
20	coupled to said offer application component, said at least one second external system
21	facilitating the generation, redemption, analysis, verification and/or delivery of said
22	generated content.

1 33. A system as in claim 32 wherein said at least one second external system includes 2 enterprise application systems, back-end payment systems, CRM systems and loyalty 3 4 systems. 5 34. A system as in claim 32 wherein said validation code is similar to a Credit Card or 6 Payment Card number and wherein said at least one second external system is a back-7 8 end payment system that processes said validation code. 9 35. A system as in claim 1 further comprising a mobile network in communication with 10 said mobile device and wherein said message application server sends said generated 11 12 content to said device address via said mobile network. 13 14 36. A system for enabling targeted content delivery to a mobile device user, said mobile device having a device address, said device address having associated therewith at least 15 one unique identifier, said system comprising: 16 17 18 -a message application server; and 19 -a trigger system in communication with said message application server, said trigger 20 21 system comprising: 22

1	-a trigger client component configured to generate a trigger signal comprising a trigger
2	action, user content request data and said at least one unique identifier;
3	
4	-a trigger server component in communication with said trigger client component, said
5	trigger server component configured to:
6	-receive said trigger signal,
7	-derive said mobile device address from said at least one unique identifier,
8	-send to said message application server said device address and said user request data,
9	
10	-at said message application server:
11	-receive said device address and said user request data, and in response thereto,
12	-generate content based on said user request data, and
13	-send said generated content to said device address of said mobile device.
14	
15	37. A system as in claim 36 wherein said message application server further includes a
16	message application database for storing transaction information comprising said user
17	request data and said device address.
18	
19	38. A system as in claim 36 wherein said trigger client component is said mobile
20	device.
21	
22	20. A gyetom as in claim 36 wherein said trigger system comprises:

1	-a client application residing on said trigger client component for generating said trigger
2	signal; and
3	-a server application residing on said trigger server component in communication with
4	said client application and said message application server, said server application for
5	receiving and processing said trigger signal sent by said client application
6	
7	40. A system as in claim 39 wherein said client application is a WEB or WAP browser
8	client component and said server application is a WEB or WAP server application
9	component.
10	
11	41. A system as in claim 36, wherein said trigger client component further comprises at
12	least one input device.
13	
14	42. A system as in claim 41, wherein said at least one input device is selected from the
15	group consisting of a magnetic card reader, bar code reader, keyboard, keypad, touch
16	pad, sensors, and any combination thereof.
17	
18	43. A system as in claim 42, wherein said sensors include a wireless sensor and a
19	biometric sensor.
20	
21	44. A system as in claim 36 wherein said trigger client component is an account card
22	and a reader and wherein said trigger signal is generated by swiping said account card

through said reader and having said trigger system identify said unique identifier based 1 2 on account card information 3 45. A system as in claim 36, wherein said trigger system comprises an IVR system, 4 said mobile device is a cellular phone, said device address is a cellular phone number 5 and said trigger action is a voice call; said IVR system configured to process said 6 7 trigger signal to acquire said cellular phone number of said cellular phone. 8 9 46. A system as in claim 36, wherein said trigger system comprises a PSTN and a Phone Switch connected to said PSTN, said mobile device is a cellular phone, said 10 mobile device address is a cellular phone number and said trigger action is a voice call; 11 said trigger system configured to detect incoming call establishment requests from said 12 PSTN and to process said trigger signal to acquire said cellular phone number of said 13 14 cellular phone. 15 47. A system as in claim 36 wherein said mobile device is a network-enabled device. 16 17 18 48. A system as in claim 36 wherein said mobile device is a cellular phone having a 19 cellular phone number as said device address. 20

49. A system as in claim 36 wherein said device address is a calling number, a cellular 1 phone number, an instant messaging address, an e-mail address or other addressing 2 3 type. 4 5 50. A system as in claim 36 further comprising: 6 -an offer application component; -an offer entry system in communication with said offer application component, and 7 -an offer database in communication with said offer application component for storing 8 said generated content and said user request data, 9 wherein said offer entry system is configured to: 10 11 -redeem said generated content, -generate content redemption information comprising said redeemed content, and 12 -send said content redemption information to said offer application component for 13 14 storage in said offer database. 15 51. A system as in claim 50, wherein said offer application component is further 16 17 configured to: 18 -receive said content redemption information and 19 -check for and process valid redeemed content using a validation code. 20 21 52. A system as in claim 51 wherein said offer entry system is further configured to

generate a physical representation of said generated content.

1 2 53. A system as in claim 52 wherein said physical representation of said generated 3 content includes paper, card-stock, plastic or any other tangible medium. 4 5 54. A system as in claim 53 wherein said offer entry system is a point of sale (POS) 6 terminal for redeeming and providing a physical representation of said generated 7 content. 8 9 55. A system as in claim 53 wherein said offer entry system is a kiosk for redeeming 10 and providing a physical representation of said generated content. 11 12 56. A system as in claim 36 further comprising at least one communications network 13 wherein said trigger system communicates with said message application server via said 14 at least one communications network and wherein said trigger client device system 15 communicates with said trigger server device via said at least one communications 16 network. 17 18 57. A system as in claim 36 wherein said generated content comprises a message, a 19 coupon, an offer or a promotion. 20 21 58. A system as in claim 52 wherein said generated content is a tangible medium 22 containing a bar code representation of said validation code.

1 59. A system as in claim 58 wherein said validation code representation comprises a 2 3 bar code. 4 60. A system as in claim 51 wherein said validation code encodes information 5 6 pertaining to said user, generated content, unique identifier or mobile device for the 7 purpose of tracking redemption on a per user basis. 8 61. A system as in claim 51 wherein said validation code is a numerical or 9 alphanumerical code. 10 11 62. A system as in claim 51 wherein said validation code is an image to be scanned. 12 13 63. A system as in claim 51 wherein said mobile device processes and stores said 14 15 validation code. 16 64. A system as in claim 51 wherein said validation code contains one or more 17 18 checksum digits whereby code input errors can be detected. 19 65. A system as in claim 51 further comprising at least one first external system coupled 20

to said message application server; said at least one first external system for facilitating

1	the generation, redemption, analysis, verification and/or delivery of said generated
2	content.
3	
4	66. A system as in claim 65 wherein said at least one first external systems includes
5	enterprise application systems, back-end payment systems, CRM systems and loyalty
6	systems.
7	
8	67. A system as in claim 52 further comprising at least one second external system
9	coupled to said offer application component, said at least one second external system
10	facilitating the generation, redemption, analysis, verification and/or delivery of said
11	generated content.
12	
13	68. A system as in claim 67 wherein said at least one second external system includes
14	enterprise application systems, back-end payment systems, CRM systems and loyalty
15	systems.
16	
17	69. A system as in claim 67 wherein said validation code is similar to a Credit Card or
18	Payment Card number and wherein said at least one second external system is a back-
19	end payment system that processes said validation code.
20	

70. A system as in claim 36 further comprising a mobile network in communication 1 2 with said mobile device and wherein said message application server sends said generated content to said device address via said mobile network. 3 4 5 71. A method for enabling targeted content delivery to a mobile device user, said mobile device having a device address, said device address having associated therewith 6 at least one unique identifier, said method comprising: 8 9 -providing a message application server; 10 -providing a trigger system in communication with said message application server; 11 12 said trigger system comprising: a trigger client component and a trigger server component in communication with said trigger client component; 13 14 -at said trigger client component, generating a trigger signal comprising a trigger action, 15 16 user request data and said at least one unique identifier; 17 18 -at said trigger server component: 19 -receiving said trigger signal, -deriving said mobile device address from said at least one unique identifier, 20 21 -sending to said message application server said trigger signal for processing; 22

- 1 -at said message application server:
- 2 -receiving from said trigger system said trigger signal, and in response thereto:
- 3 -deriving said mobile device address from said at least one unique identifier,
- 4 -generating content based on said user request data, and
- 5 -sending said generated content to said device address of said mobile device.

6

- 7 72. A method as in claim 71 wherein said message application server further includes a
- 8 message application database for storing transaction information comprising said user
- 9 request data and said device address.

10

- 11 73. A method as in claim 71 wherein said trigger client component is said mobile
- 12 device.

13`

- 14 74. A method as in claim 71 wherein said trigger system comprises:
- 15 -a client application residing on said trigger client component for generating said trigger
- 16 signal; and
- 17 -a server application residing on said trigger server component in communication with
- 18 said client application and said message application server, said server application for
- 19 receiving and processing said trigger signal sent by said client application..

75. A method as in claim 74 wherein said client application is a WEB or WAP browser 1 client component and said server application is a WEB or WAP server application 2 component. 3 4 5 76. A method as in claim 71, wherein said trigger client component further comprises 6 at least one input device. 7 8 77. A method as in claim 76, wherein said at least one input device is selected from the 9 group consisting of a magnetic card reader, bar code reader, keyboard, keypad, touch 10 11 pad, sensors, and any combination thereof. 12 78. A method as in claim 77, wherein said sensors include a wireless sensor and a 13 14 biometric sensor. 15 79. A method as in claim 71 wherein said trigger client component is an account card 16 and a reader and wherein said trigger signal is generated by swiping said account card 17 through said reader and having said trigger system identify said unique identifier based 18 19 on account card information 20 21 80. A method as in claim 71, wherein said trigger system comprises an IVR system, 22 said mobile device is a cellular phone, said device address is a cellular phone number

1 and said trigger action is a voice call; said IVR system configured to process said 2 trigger signal to acquire said cellular phone number of said cellular phone. 3 4 81. A method as in claim 71, wherein said trigger system comprises a PSTN and a 5 Phone Switch connected to said PSTN, said mobile device is a cellular phone, said 6 mobile device address is a cellular phone number and said trigger action is a voice call; 7 said trigger system configured to detect incoming call establishment requests from said 8 PSTN and to process said trigger signal to acquire said cellular phone number of said 9 cellular phone. 10 11 82. A method as in claim 71 wherein said mobile device is a network-enabled device. 12 13 83. A method as in claim 71 wherein said mobile device is a cellular phone having a 14 cellular phone number as said device address. 15 16 84. A method as in claim 71 wherein said device address is a calling number, a cellular 17 phone number, an instant messaging address, an e-mail address or other addressing 18 type. 19 20 85 A method as in claim 71 further comprising the step of providing an offer 21 application system in communication with said message application server, said offer

1 application system comprising an offer application component, wherein at said message

- 2 application server,
- 3 -receiving from said trigger system said trigger signal,
- 4 -deriving from said trigger signal said user request data and said device address, and
- 5 -sending to said offer application system said user request data for processing by said
- 6 offer application component; and;
- 7 at said offer application component,
- 8 -receiving from said message application server said user request data,
- 9 -generating content based on said user request data, and
- 10 -sending to said message application server said generated content for forwarding to
- 11 said device address of said mobile device.

12

- 13 86. A method as in claim 85 further comprising the steps of:
- 14 -providing an offer entry system for redeeming content; said offer entry system in
- 15 communication with said offer application component; and
- 16 -redeeming said generated content at said offer entry system.

17

- 18 87. A method as in claim 86 further comprising the step of: generating a physical
- 19 representation of said generated content at said offer entry system.

- 21 88. A method as in claim 87 wherein said physical representation of said generated
- 22 content includes paper, card-stock, plastic or any other tangible medium.

WO 2004/010257

PCT/US2003/022661

1	
2	89. A method as in claim 88 wherein said offer entry system is a point of sale (POS)
3	terminal for redeeming and providing a physical representation of said generated
. 4	content.
5	
6	90. A method as in claim 88 wherein said offer entry system is a kiosk for redeeming
7	and providing a physical representation of said generated content.
8	
9	91. A method as in claim 71 further comprising the step of: providing at least one
10	communications network wherein said trigger system communicates with said message
11	application server via said at least one communications network and wherein said
12	trigger client device system communicates with said trigger server device via said at
13	least one communications network.
14	
15	92. A method as in claim 71 wherein said generated content comprises a message, a
16	coupon, an offer or a promotion.
17	
18	93. A method as in claim 87 wherein said generated content is a tangible medium
19	containing a bar code representation of said validation code.
20	•
21	94. A method as in claim 93 wherein said validation code representation comprises a
22	bar code.

1 2 95. A method as in claim 86 wherein said validation code encodes information 3 pertaining to said user, generated content, unique identifier or mobile device for the purpose of tracking redemption on a per user basis. 5 96. A method as in claim 86 wherein said validation code is a numerical or 7 alphanumerical code. 8 97. A method as in claim 86 wherein said validation code is an image to be scanned. 10 98. A method as in claim 86 wherein said mobile device processes and stores said 11 12 validation code. 13 99. A method as in claim 86 wherein said validation code contains one or more 14 15 checksum digits whereby code input errors can be detected. 16 17 100. A method as in claim 86 further comprising the step of: providing at least one first 18 external system coupled to said message application server; said at least one first external system for facilitating the generation, redemption, analysis, verification and/or 19 20 delivery of said generated content. 21

1 101. A method as in claim 100 wherein said at least one first external systems includes 2 enterprise application systems, back-end payment systems, CRM systems and loyalty systems. 3 4 5 102. A method as in claim 87 further comprising the step of: providing at least one second external system coupled to said offer application component, said at least one 6 7 second external system facilitating the generation, redemption, analysis, verification 8 and/or delivery of said generated content. 9 10 103. A method as in claim 102 wherein said at least one second external system includes enterprise application systems, back-end payment systems, CRM systems and 11 12 loyalty systems. 13 14 104. A method as in claim 102 wherein said validation code is similar to a Credit Card or Payment Card number and wherein said at least one second external system is a 15 16 back-end payment system that processes said validation code. 17 18 105. A method as in claim 71 further comprising the step of: providing a mobile 19 network in communication with said mobile device and wherein said message 20 application server sends said generated content to said device address via said mobile 21 network. 22

1 106. A method for enabling targeted content delivery to a mobile device user, said 2 mobile device having a device address, said device address having associated therewith 3 at least one unique identifier, said method comprising: 4 5 -providing a message application server; 6 7 -providing a trigger system in communication with said message application server; 8 said trigger system comprising: a trigger client component and a trigger server 9 component in communication with said trigger client component; 10 11 -at said trigger client component, generating a trigger signal comprising a trigger action, 12 user request data and said at least one unique identifier; 13 14 -at said trigger server component: 15 -receiving said trigger signal, 16 -deriving said mobile device address from said at least one unique identifier, 17 -sending to said message application server said device address and said user request 18 data, 19 20 -at said message application server: 21 -receiving said device address and said user request data, and in response thereto, 22 -generating content based on said user request data, and

-sending said generated content to said device address of said mobile device. 1 2 107. A method as in claim 106 wherein said message application server further includes 3 a message application database for storing transaction information comprising said user 4 5 request data and said device address. 6 108. A method as in claim 106 wherein said trigger client component is said mobile 7 device. 8 9 10 109. A method as in claim 106 wherein said trigger system comprises: 11 -a client application residing on said trigger client component for generating said trigger 12 signal; and -a server application residing on said trigger server component in communication with 13 14 said client application and said message application server, said server application for 15 receiving and processing said trigger signal sent by said client application.. 16 17 110. A method as in claim 109 wherein said client application is a WEB or WAP 18 browser client component and said server application is a WEB or WAP server 19 application component. 20 21

111. A method as in claim 106, wherein said trigger client component further 1 2 comprises at least one input device. 3 112. A method as in claim 111, wherein said at least one input device is selected from 4 the group consisting of a magnetic card reader, bar code reader, keyboard, keypad, 5 touch pad, sensors, and any combination thereof. 6 7 113. A method as in claim 112, wherein said sensors include a wireless sensor and a 8 9 biometric sensor. 10 114. A method as in claim 106, wherein said trigger client component is an account 11 card and a reader and wherein said trigger signal is generated by swiping said account 12 card through said reader and having said trigger system identify said unique identifier 13 14 based on account card information 15 115. A method as in claim 106, wherein said trigger system comprises an IVR system, 16 said mobile device is a cellular phone, said device address is a cellular phone number 17 18 and said trigger action is a voice call; said IVR system configured to process said trigger signal to acquire said cellular phone number of said cellular phone. 19 20 116. A method as in claim 106, wherein said trigger system comprises a PSTN and a 21 22 Phone Switch connected to said PSTN, said mobile device is a cellular phone, said

mobile device address is a cellular phone number and said trigger action is a voice call; 1 2 said trigger system configured to detect incoming call establishment requests from said 3 PSTN and to process said trigger signal to acquire said cellular phone number of said cellular phone. 4 5 6 117. A method as in claim 106, wherein said mobile device is a network-enabled 7 device. 8 9 118. A method as in claim 106, wherein said mobile device is a cellular phone having a 10 cellular phone number as said device address. 11 12 119. A method as in claim 106, wherein said device address is a calling number, a 13 cellular phone number, an instant messaging address, an e-mail address or other 14 addressing type. 15 16 120. A method as in claim 106, further comprising the step of providing an offer 17 application system in communication with said message application server, said offer application system comprising an offer application component, wherein at said message 18 19 application server, 20 -receiving from said trigger system said trigger signal, 21 -deriving from said trigger signal said user request data and said device address, and

1 -sending to said offer application system said user request data for processing by said

- 2 offer application component; and;
- 3 at said offer application component,
- 4 -receiving from said message application server said user request data,
- 5 -generating content based on said user request data, and
- 6 -sending to said message application server said generated content for forwarding to
- 7 said device address of said mobile device.

8

- 9 121. A method as in claim 120 further comprising the steps of:
- 10 -providing an offer entry system for redeeming content; said offer entry system in
- 11 communication with said offer application component; and
- 12 -redeeming said generated content at said offer entry system.

13

- 14 122. A method as in claim 121 further comprising the step of: generating a physical
- 15 representation of said generated content at said offer entry system.

16

- 17 123. A method as in claim 122 wherein said physical representation of said generated
- 18 content includes paper, card-stock, plastic or any other tangible medium.

- 20 124. A method as in claim 123 wherein said offer entry system is a point of sale (POS)
- 21 terminal for redeeming and providing a physical representation of said generated
- 22 content.

1 125. A method as in claim 123 wherein said offer entry system is a kiosk for redeeming 2 and providing a physical representation of said generated content. 3 4 126. A method as in claim 106 further comprising the step of: providing at least one 5 communications network wherein said trigger system communicates with said message 6 application server via said at least one communications network and wherein said 7 trigger client device system communicates with said trigger server device via said at 8 9 least one communications network. 10 11 127. A method as in claim 106 wherein said generated content comprises a message, a 12 coupon, an offer or a promotion. 13 128. A method as in claim 122 wherein said generated content is a tangible medium 14 15 containing a bar code representation of said validation code. 16 17 129. A method as in claim 128 wherein said validation code representation comprises a 18 bar code. 19 130. A method as in claim 121 wherein said validation code encodes information 20 21 pertaining to said user, generated content, unique identifier or mobile device for the 22 purpose of tracking redemption on a per user basis.

1 131. A method as in claim 121 wherein said validation code is a numerical or 2 3 alphanumerical code. 4 132. A method as in claim 121 wherein said validation code is an image to be scanned. 5 6 7 133. A method as in claim 121 wherein said mobile device processes and stores said 8 validation code. 9 10 134. A method as in claim 121 wherein said validation code contains one or more 11 checksum digits whereby code input errors can be detected. 12 13 14 135. A method as in claim 121 further comprising the step of: providing at least one 15 first external system coupled to said message application server; said at least one first external system for facilitating the generation, redemption, analysis, verification and/or 16 17 delivery of said generated content. 18 19 136. A method as in claim 135 wherein said at least one first external systems includes 20 enterprise application systems, back-end payment systems, CRM systems and loyalty 21 systems. 22

137. A method as in claim 122 further comprising the step of: providing at least one 1 second external system coupled to said offer application component, said at least one 2 3 second external system facilitating the generation, redemption, analysis, verification and/or delivery of said generated content. 4 5 6 138. A method as in claim 137 wherein said at least one second external system 7 includes enterprise application systems, back-end payment systems, CRM systems and 8 loyalty systems. 9 10 139. A method as in claim 137 wherein said validation code is similar to a Credit Card 11 or Payment Card number and wherein said at least one second external system is a 12 back-end payment system that processes said validation code. 13 14 140. A method as in claim 106 further comprising the step of: providing a mobile 15 network in communication with said mobile device and wherein said message 16 application server sends said generated content to said device address via said mobile 17 network. 18 19 141. A trigger system for facilitating targeted content delivery to a mobile device, said 20 system comprising: 21 a processor configured to:

1	-receive a trigger signal comprising user request data and a unique identifier, said
2	unique identifier having associated therewith a mobile device address;
3	-derive said mobile device address from said unique identifier, and
4	-send said mobile device address and said user request data to a message application
5	server for use in generating content.
6	
7	142. A message application data network server system for facilitating targeted content
8	delivery to a mobile device, said system comprising:
9	
10	a processor configured to:
11	-receive from a trigger system a trigger signal comprising a mobile device address and
12	user request data, both associated with a mobile device, and in response thereto:
13	-process said trigger signal to derive said device address and said user request data,
14	-generate content based on said user request data, and
15	-send said generated content to said device address of said mobile device.
16	
17	
18	
19	